

How To document Using the Opioid Risk Tool

From <https://www.drugabuse.gov/sites/default/files/files/OpioidRiskTool.pdf>

The Opioid Risk Tool (ORT) is a brief, self-report screening tool designed for use with adult patients in primary care settings to assess risk for opioid abuse among individuals prescribed opioids for treatment of chronic pain. Patients categorized as high-risk are at increased likelihood of future abusive drug-related behavior. The ORT can be administered and scored in less than 1 minute and has been validated in both male and female patients, but not in non-pain populations.

This tool should be administered to patients upon an initial visit prior to beginning opioid therapy for pain management. A score of 3 or lower indicates low risk for future opioid abuse, a score of 4 to 7 indicates moderate risk for opioid abuse, and a score of 8 or higher indicates a high risk for opioid abuse.

Mark each box that applies	Female	Male
Family history of substance abuse		
Alcohol	1	3
Illegal drugs	2	3
Rx drugs	4	4
Personal history of substance abuse		
Alcohol	3	3
Illegal drugs	4	4
Rx drugs	5	5
Age between 16—45 years	1	1
History of preadolescent sexual abuse	3	0
Psychological disease		
ADD, OCD, bipolar, schizophrenia	2	2
Depression	1	1
Scoring totals		

Questionnaire developed by Lynn R. Webster, MD to assess risk of opioid addiction.
 Webster LR, Webster R. Predicting aberrant behaviors in Opioid-treated patients: preliminary validation.

How to Enter Opioid Risk Tool into Allscripts.

1. Go to Flowsheets tab.
 - a) Change your Specialty first. Then choose the Opioid Risk from the middle dropdown.

HMP/Reminders Growth Chart

Vital Signs Meds Med Flowsheet Orders Allergies Immunizations Flowsheets

FlowSheets Opioid Risk Internal Medicine

Data Includes: All

Item Name	Select
Family Hx of Alcohol Abuse	<input type="checkbox"/>
Family Hx of Illegal Drug Abuse	<input type="checkbox"/>
Family Hx of Prescription...	<input type="checkbox"/>
Hx of Alcohol Abuse	<input type="checkbox"/>
Hx of Illegal Drug Abuse	<input type="checkbox"/>
Hx of Prescription Drug Abuse	<input type="checkbox"/>
Age between 16-45	<input type="checkbox"/>
Hx of Preadolescent Sexual...	<input type="checkbox"/>
ADD, OCD, Bipolar,...	<input type="checkbox"/>
Depression	<input type="checkbox"/>
Total Score	<input type="checkbox"/>

New Column Enter Result Edit Print

2. Then click *New Column* in the bottom left.
3. Highlight the first column and choose *Enter Result*.

HMP/Reminders Growth Chart

Vital Signs Meds Med Flowsheet Orders Allergies Immunizations Flowsheets

FlowSheets Opioid Risk Internal Medicine

Data Includes: All

Item Name	Select	01 May 2019 3:30 PM
Family Hx of Alcohol Abuse	<input type="checkbox"/>	
Family Hx of Illegal Drug Abuse	<input type="checkbox"/>	
Family Hx of Prescription...	<input type="checkbox"/>	
Hx of Alcohol Abuse	<input type="checkbox"/>	
Hx of Illegal Drug Abuse	<input type="checkbox"/>	
Hx of Prescription Drug Abuse	<input type="checkbox"/>	
Age between 16-45	<input type="checkbox"/>	
Hx of Preadolescent Sexual...	<input type="checkbox"/>	
ADD, OCD, Bipolar,...	<input type="checkbox"/>	
Depression	<input type="checkbox"/>	
Total Score	<input type="checkbox"/>	

New Column Enter Result Edit

4. Enter answers to questions in dropdown box.

a) Total should be numeric.

TEST, James 03-Mar-1992 (27 years) M Appointment: 01-May-2019

Opioid Risk Tool

For: [0] Status: Active To Be Done: 13Jan2020

Do Not Release Record w/o Ordering


Family Hx of Prescription Drug Abuse	NO		Final
Hx of Alcohol Abuse	NO		Final
Hx of Illegal Drug Abuse	NO		Final
Hx of Prescription Drug Abuse	NO		Final
Age between 16-45	NO		Final
Hx of Preadolescent Sexual Abuse	NO		Final
ADD, OCD, Bipolar, Schizophrenia	NO		Final
Depression	1 - YES		Final
Total Score			Final

Result Documents

OK Cancel

5. Click *Ok*. Then *Commit*.

a) Tip: If you can't find the *New Column* or *Enter Result* selection in the bottom menu, click the double arrows on the right and select *New Column* or *Enter Result* in the menu. This should also add it to your bottom menu.



6. The Opioid Risk form can be located in some notes to add in documentation.
a) It includes an All Normal button for scores less than 3.

The screenshot shows a software interface for an Opioid Risk Screen. At the top, there is a header with 'Note' and 'Health Management/Reminders'. Below this, a navigation bar includes 'New Patient', a search icon, 'ALLSCRIPTS, Provider', a magnifying glass icon, and 'Status: Needs Input'. On the right side of the header are icons for a folder, a checkmark, and a menu. Below the header is a toolbar with icons for document, text, image, and settings. The main content area is titled 'Opioid Risk Screen' and features an 'All Normal' button in the top right corner. The form contains several sections: 'ORT' with a radio button and a link for help; two radio button options for 'ORT administered and results reviewed with patient' and 'ORT was NOT administered.'; a 'Scoring' section with three radio button options for scores less than 3, between 4 and 7, and 8 or higher; and an 'Additional Comments' section with a large text input area. A left-hand navigation pane lists various medical notes, with 'Opioid Risk Assessment' and 'Opioid Risk Screen' highlighted.